iOSD Product Release Notes

Date: May 8th, 2015

iOSD firmware version:3.02iOSD assistant software version:4.1iOSD user manual version:2.10

What's new?

1. iOSD Assistant Software:

For A2 Flight Control System:

✓ Added display of GPS Exporter icon in the iOSD Data Viewer software. Users can export GNSS coordinates and aircraft attitude data recorded by the A2 flight control system.

Date: November 7th, 2014

iOSD firmware version: 3.02iOSD assistant software version: 4.0iOSD user manual version: 2.10

What's new?

1. iOSD Firmware:

- ✓ Display airport restriction icon on the screen.
- ✓ Fixed issue of invalid altitude values displayed when connected to Phantom 2.

Date: April 7th, 2014

iOSD firmware version: 3.01iOSD assistant software version: 4.0iOSD user manual version: 2.10

What's new?

1. iOSD Firmware:

✓ Airport flight safety notification*

2. iOSD User Manual:

✓ Airport fight safety explanation

Note:

It is recommended to upgrade the firmware to the latest version for optimal use of this product.

^{*}Airport flight safety notification only available for Phantom 2.

Date: December 31, 2013

iOSD firmware version:3.0iOSD assistant software version:4.0iOSD user manual version:2.08

What's new?

1. iOSD Firmware:

- ✓ Support for the A2 Flight Controller firmware V2.1 or above.
- ✓ Support for the PHANTOM 2 main controller firmware V1.08 or above.
- ✓ Added the Azimuth angle display to help users locate the aircraft.
- ✓ Added the current battery level percentage display when connecting to PHANTOM 2.

2. iOSD Assistant Software:

✓ Optimized for Win8 compatibility when using the iOSD device in DataView mode.

3. iOSD User Manual:

- ✓ Add the Azimuth angle description.
- \checkmark Add the current battery level percentage description when connecting to PHANTOM 2.

Date: 2013/08/30

iOSD firmware version:2.02iOSD assistant software version:3.02iOSD user manual version:2.06

What's new?

1. iOSD Firmware:

- ✓ Support for the new A2 Flight Controller (coming soon).
- ✓ Eliminate the abnormal altitude data after power on.
- ✓ Add a blinking compass icon to indicate abnormal compass data for NAZA-M.
- ✓ Improve the altitude accuracy displayed.

2. iOSD Assistant Software:

✓ The iOSD shares the iOSD Assistant Software v3.02 with iOSD mini.

3. iOSD User Manual:

✓ Add the description about the blinking compass icon which indicates abnormal compass data.

Note: NAZA-M Firmware Version SHOULD be upgraded to V3.16 using Assistant software V2.16.

Date: 2013/05/06

iOSD firmware version:2.00iOSD assistant software version:2.00iOSD user manual version:2.04

What's new?

1. iOSD Firmware:

- √ Naza-M is supported with working to PMU V2 (Naza-M V2 Accessory);
- √ Naza-M V2 is supported;

2. iOSD Assistant Software:

✓ Add compass data recording;

3. iOSD User Manual:

✓ Instruction that the NAZA-M is supported;

Note: NAZA-M Firmware Version SHOULD be upgraded to V3.10, with the same assistant software V2.10 of Naza-M V2.

iOSD Product Release Notes

Date: 2013/02/01

iOSD firmware version:1.08iOSD assistant software version:1.00iOSD user manual version:2.00

What's new?

iOSD Firmware

Improve the compatibility for the video signal.

Date: 2013/01/30

iOSD firmware version:1.06iOSD assistant software version:1.00iOSD user manual version:2.00

What's new?

iOSD Firmware

- ✓ GPS satellite number, height, distance and low-voltage alert
- ✓ Data recording

iOSD Assistant Software

- ✓ Information icon location adjustment
- ✓ Warning setting
- ✓ Firmware upgrade
- ✓ Data viewer

iOSD User Manual

- ✓ Instruction of the assistant software usage
- ✓ Instruction of the adapter for the iOSD V1.0

Date: 2012/09/28

iOSD firmware version:1.00iOSD assistant software version:NoneiOSD user manual version:1.00

Functions

- iOSD Information Transmission
- Video Transmission, 2 Video Signal input Channels/Switchable
- Remote channel selection of the Wireless Video Transmitter Module, when using the video transmitter specified by DJI
- Built-in BEC: improve the reliability of power supply for the main controller
- DJI Z15 Supported